

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	561	(706/20).CCLS.	USPAT; USOCR	OR	OFF	2007/06/23 20:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6594524").PN.	USPAT; USOCR	OR	OFF	2007/06/23 16:25
S2	1	("6484132").PN.	USPAT; USOCR	OR	OFF	2007/06/23 16:34
S5	1	centering near5 physiological signal near5 (time window or time-window or timewindow or time display or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/23 16:39
S6	1	("4779100").PN.	USPAT; USOCR	OR	OFF	2007/06/23 16:39

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

+centering +physiological +signal in (time wind

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **45,800** for **+centering +physiological +signal in (time window**

[\[PDF\] Product Information](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Physiological Signal Recording and **Display** - The System shall provide smooth, oscillographic, real-time **display**. of all **physiological** responses. ...

www.stoeltingco.com/polygraph/brochure/cps%20ii%20bid%20specifications.pdf -

[Similar pages](#)

[\[PDF\] The CPS II Provides Accurate, Rapid and Scientific Detection of ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Replay charts and video recordings in real-time. • Select and de-select **physiological** components for re-**display**. and printing ...

www.stoeltingco.com/polygraph/brochure/STOCPS1003V6pg-8chan.pdf - [Similar pages](#)

[Polygraph with control adjustment indicator - Patent 4779100](#)

The record chart **display** includes circuitry having a monostable One-shot 39 provides a single square wave pulse driving **signal** each **time** it receives a ...

www.freepatentsonline.com/4779100.html - 38k - [Cached](#) - [Similar pages](#)

[Ambulatory physiological evaluation system including cardiac ...](#)

display means for presenting said retrieved information in readable format. The auxiliary detector 14 produces a **signal** representative of **time** ...

www.freepatentsonline.com/4920969.html - 93k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[Ambulatory physiological evaluation system including cardiac ...](#)

The picture derived from the camera on a cathode-ray tube (CRT) **display** shows the

The auxiliary detector 14 produces a **signal** representative of **time** ...

www.patentstorm.us/patents/5007427-description.html - 98k - [Cached](#) - [Similar pages](#)

[Artifact detection in encephalogram data using an event model - US ...](#)

Preferably, the **time** instant at which the dipole equivalent is to be computed is ... In the example shown, the output device 30 includes a **display**. ...

www.patentstorm.us/patents/6591132-description.html - 33k - [Cached](#) - [Similar pages](#)

[[More results from www.patentstorm.us](#)]

[Thought Technology Ltd. - Biofeedback Equipment - BioGraph Infinity](#)